

CARPET  
PLANKS

# EMPIRE COLLECTION

AIRLAY 

# EMPIRE COLLECTION

The Empire carpet plank collection offers an injection of colour with the practicality of a classic charcoal base.

Perfect for education, office and hospitality projects, where the striking line of colour offers endless design opportunities. Comprising of seven colour options, the Empire solution dyed carpet planks can be installed in a vast range of commercial projects.







MONARCH



SUNRISE







SOVEREIGN









**FIELD**




**SOVEREIGN**




**MONARCH**



**SUNRISE**



**PROVINCE**



**KINGDOM**



**DOMAIN**





# EMPIRE



Sovereign



Sunrise



Field

## TECHNICAL SPECIFICATIONS


|                            |                                      |
|----------------------------|--------------------------------------|
| <b>Product Range</b>       | Empire                               |
| <b>Product Description</b> | Tufted Multi-Level Loop Carpet Plank |
| <b>Yarn / Fibre</b>        | 100% Solution Dyed Nylon             |
| <b>Machine Gauge</b>       | 1/12th                               |
| <b>Pile Height</b>         | 3.0mm +/-0.5mm                       |
| <b>Total Thickness</b>     | 6.5mm +/-0.5mm                       |
| <b>Tile Size</b>           | 25cm x 100cm                         |
| <b>Backing Structure</b>   | PVC with Recycled Content            |
| <b>Installation Method</b> | Herringbone, Ashlar, Brick           |

## SUSTAINABILITY SPECIFICATIONS

|                            |  |
|----------------------------|--|
| <b>Less Waste</b>          | Modular carpet creates 85 – 90% less waste than broadloom carpet   |
| <b>Product Stewardship</b> | 100% take back & repurpose through accredited partner  |
| <b>Recycled Content</b>    | Minimum of 55% recycled content in the backing structure<br>Average of 40% recycled content by weight of product   |
| <b>Accreditation</b>       | Carpet Institute of Australia ECS4<br>Carpet & Rug Institute Green Plus (CRI Green Plus)<br>EU CE Accreditation<br>ISO14001:2004 Environment Certification System<br>ISO9001:2008 Quality System Certificate |

## PERFORMANCE SPECIFICATIONS

|                               |  |
|-------------------------------|--|
| <b>Area of Use</b>            | Commercial   |
| <b>Dimensional Stability</b>  | Less than 0.2% variation   |
| <b>Biocontaminant Control</b> | Ultra Fresh Anti-microbial treated   |
| <b>Anti-Static</b>            | AATCC134 < 3500 Volts  |
| <b>Warranty</b>               | To be installed according to Australian Standards AS/NZS 2455.1:2007 and AS/NZS 2455.2:2007.<br>15 year limited warranty:<br>• Manufacturing defect<br>• Dimensional stability<br>• Electrostatic propensity |



Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.



## AIRLAY FLOORCOVERINGS

**Head Office:** 91-115 Link Drive, Campbellfield VIC 3061  
**Phone:** (03) 9359 4705 **Email:** sales@airlay.com.au

**AIRLAY.COM.AU**