



CARPET
PLANKS

PEBBLE COLLECTION

AIRLAY 

PEBBLE COLLECTION

Inspired by nature and natural elements, the Pebble carpet plank collection brings an air of beauty and lasting distinction to your space.

Our inspired woven carpet plank range offers a distinctive handcrafted feel. A contemporary and practical design to add beauty, warmth and texture to the floor. The solution dyed, multi-level loop carpet planks are suitable for a broad array of interior projects.





AMBER





PERIDOT



GRAVEL









JADE






GARNET









RUBY





SAND



METAL



QUARTZ




SAND




MINERAL



REEF



BASALT




GRAVEL



METAL




ROCK




MARBLE






CITRINE



PERIDOT




JADE



AQUAMARINE




TOPAZ



SAPPHIRE



AMBER



GARNET



RUBY



PEBBLE



Citrine & Basalt



Peridot & Mineral



Sapphire & Reef

TECHNICAL SPECIFICATIONS


Product Range	Pebble
Product Description	Tufted Multi-Level Loop Carpet Plank
Yarn / Fibre	100% Solution Dyed Nylon
Machine Gauge	1/12th
Pile Height	4.0mm +/-0.5mm
Total Thickness	7.0mm +/-0.5mm
Tile Size	25cm x 100cm
Backing Structure	PVC with Recycled Content
Installation Method	Herringbone, Ashlar, Brick

SUSTAINABILITY SPECIFICATIONS

Less Waste	Modular carpet creates 85 – 90% less waste than broadloom carpet
Product Stewardship	100% take back & repurpose through accredited partner
Recycled Content	Minimum of 55% recycled content in the backing structure Average of 40% recycled content by weight of product
Accreditation	Carpet Institute of Australia ECS4 Carpet & Rug Institute Green Plus (CRI Green Plus) EU CE Accreditation ISO14001:2004 Environment Certification System ISO9001:2008 Quality System Certificate

PERFORMANCE SPECIFICATIONS

Area of Use	Commercial
Dimensional Stability	Less than 0.2% variation
Biocontaminant Control	Ultra Fresh Anti-microbial treated
Anti-Static	AATCC134 < 3500 Volts
Warranty	To be installed according to Australian Standards AS/NZS 2455:1:2007 and AS/NZS 2455.2:2007. 15 year limited warranty: • Manufacturing defect • Dimensional stability • Electrostatic propensity



Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.

AIRLAY

AIRLAY FLOORCOVERINGS

Head Office: 91-115 Link Drive, Campbellfield VIC 3061
Phone: (03) 9359 4705 **Email:** sales@airlay.com.au

AIRLAY.COM.AU