

CARPET  
TILES

# SIERRA COLLECTION

AIRLAY 



# SIERRA COLLECTION

The traditional design made from solution dyed nylon is practical and durable providing an impressive solution for heavy commercial interiors.

Taking colour inspiration from our landscape, the Sierra collection is warm and inviting. Each colour sits beautifully alone and when combined with complementary accents.
























PEPPER





COAL






COBALT &  
PAPERBARK










**COAL**



**ANTIQUE**



**SMOKE**



**STONE**



**PEPPER**



**COBALT**



**PAPERBARK**





# SIERRA



Smoke



Cobalt



Paperbark

## TECHNICAL SPECIFICATIONS


<b>Product Range</b>	Sierra
<b>Product Description</b>	Tufted Multi-Level Loop Carpet Tile
<b>Yarn / Fibre</b>	100% Solution Dyed Nylon
<b>Machine Gauge</b>	1/12th
<b>Pile Height</b>	3.0mm +/-0.5mm
<b>Total Thickness</b>	7.0mm +/-0.5mm
<b>Tile Size</b>	50cm x 50cm
<b>Backing Structure</b>	PVC with Recycled Content
<b>Installation Method</b>	Quarter Turn, Ashlar, Brick

## SUSTAINABILITY SPECIFICATIONS

<b>Less Waste</b>	Modular carpet creates 85 – 90% less waste than broadloom carpet
<b>Product Stewardship</b>	100% take back & repurpose through accredited partner
<b>Recycled Content</b>	Minimum of 55% recycled content in the backing structure  Average of 40% recycled content by weight of product
<b>Accreditation</b>	Carpet & Rug Institute Green Plus (CRI Green Plus) EU CE Accreditation ISO14001:2004 Environment Certification System ISO9001:2008 Quality System Certificate

## PERFORMANCE SPECIFICATIONS

<b>Area of Use</b>	Commercial
<b>Dimensional Stability</b>	Less than 0.2% variation
<b>Biocontaminant Control</b>	Ultra Fresh Anti-microbial treated
<b>Anti-Static</b>	AATCC134 < 3000 Volts
<b>Warranty</b>	To be installed according to Australian Standards AS/NZS 2455.1:2007 and AS/NZS 2455.2:2007.  15 year limited warranty: • Manufacturing defect • Dimensional stability • Electrostatic propensity



Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.

AIRLAY

WWW.AIRLAY.COM.AU

## AIRLAY FLOORCOVERINGS

**Head Office:** 91-115 Link Drive, Campbellfield VIC 3061

**Phone:** (03) 9359 4705 **Email:** sales@airlay.com.au