



ALPINE COLLECTION

LUXURY
VINYL
PLANKS

AIRLAY 

ALPINE COLLECTION

Alpine Luxury Vinyl Planks offer showstopping good looks with authentic natural timber grain and texture.

Delivering unsurpassed commercial grade quality, durability and functionality, they are available in a wide choice of Alpine inspired colours in both 3mm and 5mm thickness. The 5mm product is available in a wide and long plank format, perfect for creating a high end aesthetic.




WHEAT



MOCHA




PINE MIST



SNOW





CHESTNUT



SIENNA



SILVER ASH




CEDAR



MAPLE




PINE MIST



SIENNA



MOCHA



CHESTNUT



SIENNA



MAPLE



CEDAR





WHEAT



PINE MIST



SILVER ASH



ARGENT



SNOW



ALPINE



Chestnut



Wheat



Pine Mist

DESCRIPTION

Luxury Vinyl Plank	EN 649	—	Heterogeneous PVC
Plank Size 1	EN 427	mm	177.8 x 1219.2
Total Thickness	EN 428	mm	3.0
Planks / Meterage per box	—	—	15 Planks, 3.26m ² /box
Plank Size 2	EN 427	mm	228.6 x 1524
Total Thickness	EN 428	mm	5.0
Planks / Meterage per box	—	—	8 Planks, 2.79 m ² /box
Wear Layer	EN 429	mm	0.55 (±0.05)
Surface Treatment	—	—	PU / Nano silver coating

CLASSIFICATION


Classification	EN 685	class	33–42
Fire Classification	EN 13501-1	class	Bfl-S1
	BCA SPEC C110-3	—	Complies
Slip Resistance	DIN 51130	class	R10
	AS/NZ 4586-2013	Appendix D	P3
	EN 13893	class	DS
Electrical Conductivity	EN 1815	—	≤ 2kV
	EN 1081	—	ca. 10 ¹¹ Ohm
Residual Indentation	EN 433	mm	<0.1

PERFORMANCE

Castor Chair	EN 425	—	Yes, Type W
Colourfastness	ISO 105 B02	grade	m>6

ENVIRONMENTAL

Floor Heating	—	celcius	Yes, max. 27°
Environmental	Floor Score	—	Indoor Air Quality Certified
	(SCS-EC10.2-2007)		Low VOC emissions
Volatile Organic Compounds (VOC) Emission Factor	eco Institut	class	Low VOC, Class A+
	(ISO/IEC 17025)		
Quality Control Management	ISO 9001 : 2000	certified	
Environmental Management	ISO 14001 : 2004	certified	



Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.

AIRLAY 

AIRLAY FLOORCOVERINGS

Head Office: 91-115 Link Drive, Campbellfield VIC 3061

Phone: (03) 9359 4705 Email: sales@airlay.com.au

AIRLAY.COM.AU