



HYBRID  
PLANKS

# OAKWOOD COLLECTION

AIRLAY 

# OAKWOOD COLLECTION

Nothing matches the natural beauty and timeless elegance of oak. Its rich warm tones and distinct grain patterns are a touch of sophistication and brings aesthetic appeal to any space.

Created with careful attention to design, performance, functionality and sustainability, our Oakwood Range Hybrid Planks are designed to mimic the properties of oak, capturing its authentic beauty and charm.



BIANCA OAK



GOLDEN OAK



  
GREY OAK



NERO OAK




BLONDE OAK



HUSK OAK



GOLDEN OAK



BLONDE OAK



BIANCA OAK



**BLONDE OAK**



**BIANCA OAK**



**HUSK OAK**



**GOLDEN OAK**



**GREY OAK**



**NERO OAK**



# OAKWOOD

## HYBRID PLANKS



Nero Oak



Grey Oak



Husk Oak

Airley Oakwood Range Hybrid flooring is a rigid floating floor product that stands up to the chaos of pets, kids and the hustle and bustle of a busy home. The high-density core and tough surface of hybrid flooring is environmentally friendly, scratch-resistant, waterproof and easy to clean.


### SPECIFICATIONS

<b>Product Range</b>	Oakwood Range Hybrid Floating Floor
<b>Surface Finish</b>	UV Coating – Anti Bacterial
<b>Board Dimensions</b>	1500mm x 228mm
<b>Total Thickness</b>	8mm (6.5mm + 1.5mm IXPE underlay)
<b>Wear Layer</b>	0.50mm
<b>Pack Size</b>	1.71m <sup>2</sup> /box
<b>Pack Weight</b>	23.14kg
<b>Pieces / Box</b>	5 planks per box
<b>Click System</b>	Unilin
<b>Installation Method</b>	Floating
<b>Construction</b>	Wear Layer - Rigid Core: IXPE Underlay
<b>Slip Resistance</b>	Classification: P3 Australian Standard AS4586-2013
<b>Fire Resistance</b>	Rating: PASS Australian Standard AS ISO 9239.1-2003
<b>Application</b>	For use in interior areas of private homes and commercial areas
<b>Warranty</b>	25 Years Residential Warranty 5 Years Commercial Limited Wear Warranty

Specifications are subject to manufacturing tolerances and may be changed without notice. Colour variation may occur between sample and supplied products due to dye lot tolerances.



### OAKWOOD HYBRID BOARD CONSTRUCTION



### AIRLAY FLOORCOVERINGS

Head Office: 91-115 Link Drive, Campbellfield VIC 3061

Phone: (03) 9359 4705 Email: sales@airlay.com.au

AIRLAY.COM.AU